

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	653	(415/229).CCLS.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/30 08:44
L2	459	L1 and bearing	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/30 08:44
L3	407	L2 and shaft	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/30 08:44
L4	257	L3 and (width or diameter OR distance)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/30 08:44
L5	293	(415/216.1).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/30 08:44
L6	116	L5 and bearing	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/30 08:44
L7	528	(29/889.1).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/30 08:44
L8	96	L7 and bearing	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/30 08:44

L9	20	((BERTIL) near2 (JONSSON)).INV.	US-PGPUB; USPAT	OR	ON	2008/10/30 08:44
L10	315	(416/144).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/30 08:44
L11	52	L10 and bearing	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/30 08:44
L12	440	(29/889.2).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/30 08:44
L13	114	L12 and bearing	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/30 08:44
L14	8094	(turbine or compressor or turbomachine\$4).ab. and (shaft with assembl\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/30 08:44
L15	4993	L14 and bearing	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/30 08:44
L16	969	L15 and (bearing with (diameter or distance or width))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/30 08:44
L17	320	L16 and rotor and stator	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/30 08:44

L18	933	L4 or L6 or L8 or L9 or L11 or L13 or L17	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/30 08:44
L19	48	18 and @pd>="20080418"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/30 08:44
L23	318	((turbine or compressor or tubomachin\$5) and bearing and shaft and (width or diameter)).clm.	US-PGPUB	OR	ON	2008/10/30 08:51
L25	115	((turbine or compressor or tubomachin\$5) and bearing and shaft and (rotor or disc or disk) and (distance or closer or further or farther or smaller or larger or greater or less) and (width or diameter)).clm.	US-PGPUB	OR	ON	2008/10/30 08:52
L26	20	((turbine or compressor or tubomachin\$5) and ((second or other or another) near2 bearing) and shaft and (rotor or disc or disk) and (distance or closer or further or farther or smaller or larger or greater or less) and (width or diameter)).clm.	US-PGPUB	OR	ON	2008/10/30 08:53

10/30/08 8:55:37 AM

C:\Documents and Settings\redgar\My Documents\EAST\Workspaces\10_605,753.wsp